



[10123/00901]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : Karla WEAVER et al.
Serial No. : 10/768,629
Filed : January 29, 2004
Title : STACKED MEMBRANE FOR PRESSURE ACTUATED VALVE
Group Art Unit : 3763
Examiner : To Be Assigned

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Mail Stop: Missing Parts

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS


S I R:

In response to the Notice to File Corrected Application Papers mailed on June 16, 2004, transmitted herewith are three (3) sheets of corrected drawings for filing in the above-identified application. A copy of the Notice is enclosed herewith.

Dated:


July 30, 2004

By:


Oleg F. Kaplun (Reg. No. 45,589)

FAY KAPLUN & MARCIN, LLP
150 Broadway Suite 702
New York, NY 10038
(212) 619-6000 (telephone)
(212) 619-0276 (facsimile)


[10123/00901]



THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : Karla WEAVER et al.
Application No. : 10/768,629
Filed : January 29, 2004
Title : STACKED MEMBRANE FOR PRESSURE ACTUATED VALVE
Group Art Unit : 3763
Examiner : To Be Assigned

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Mail Stop: Missing Parts



TRANSMITTAL

Transmitted herewith please find a Response to a Notice to File Corrected Application Papers mailed on June 16, 2004 along with a Preliminary Amendment. No fees are believed to be required. However, if any fees are due, please charge Deposit Account No. 50-1492. A copy of this paper is enclosed for that purpose.

Dated:

July 30, 2004

By:

Oleg F. Kaplun (Reg. No. 45,559)

FAY KAPLUN & MARCIN, LLP
150 Broadway, Suite 702
New York, NY 10038
(212) 619-6000 (telephone)
(212) 619-0276 (facsimile)



IFW

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NUMBER | FILING OR 371 (c) DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|------------------------|-----------------------|------------------------|
| 10/768,629 | 01/29/2004 | Karla Weaver | 10123/00901 |

CONFIRMATION NO. 6763

Patrick J. Fay, Esq.
FAY KAPLUN & MARCIN, LLP
Suite 702
150 Broadway
New York, NY 10038

FORMALITIES LETTER



OC000000012965872

Date Mailed: 06/16/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted


An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 3-4.

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE